
DL-770D



	1
	2
1	6
1.1	6
1.2	7
1.3	8
2	9
3	11
3.1	11
3.2	13
3.3	14
3.4	15
3.5	16
3.6	18
3.6.1	/	18
3.6.2	18
3.6.3	19
3.6.4	19
3.7	20
4	21
5	22
5.1	22
5.2	23

WDS PDF 编辑试用
LVVT 2.1.21 编辑试用

1.



2.



1

•

•

•

2

•

3

•

4

•

5

.

WDS PDF 编辑试用
LVIT 2.1.21 编辑试用



1

•

•

2

•

3

•

4

•

5

•

6

WDS PDF 编辑 试用
LVVT 2.1.21 编辑 试用

3.



4. WEEE ()






1




1

2








2

		203 / (8 /)
		150 /
		108
		15 - 300
		32 RISC CPU
	RAM	2MB
		16MB
		38mm - 110mm
		0.003 (80) - 0.007 (180)
		TSPL
		Deli BarTender Ultralite 2016
		Windows7/Windows8/Windows10/WindowsXP
		GB18030 16×16 24×24 32×32dots ASCII 8×16 12×24 16×32dots


		Code 39, Code 93, Code 128UCC, Code 128 subset A, B, C, Codabar, Interleave 2 of 5, EAN-8, EAN-13, EAN-128,
		QR Code PDF417 DataMatrix
		USB
		100-240 50/60 24 /2
		41 (5)-104 (40) 30%-85%,
		-4 (-20)-122 (50) 10%-90%,
	(* *)	201.87*90.1*91.23
		0.9kg,
		CCC

3


1.




2.




3.




4.



1. O
- 2.
- 3.
- 4.



--USB B-Type





1 (O)

2

-- USB USB B-Type

DL-770D



1.


2.

WPS PDF 编辑试用

3.6.1 /

I

0



3.6.2

1.

1

2

3


" ~ "

3.6.3




1.

2.



4



1	VBUS
2	D-
3	D+
4	GND

5



:

1

2

2~3

3

4

1

2

1 2

1

2

3

4

1 2



WPS PDF 编辑试用
LVIT 2.1.21 编辑试用